

Work Order	Description	Work Location	Status	Reported Date
52021	YARD 2 Concrete Ties Cracked Yd Tr 2 347+90	348W	MONITOR	04/04/14 07:30:07 AM
951639	YARD W Coverboard / Splice Plate Yd 1 368+80	368W	APPR	01/29/13 11:33:00 AM
914389	YARD W Out of Surface Yd 1 369+20-366+70	369W	HOLD	12/27/12 01:37:09 PM
1882554	Yard Sw# 139 RH CV SW PT & CV CL RL 26 degree es angle wear	CMWABYARD	APPR	04/11/15 02:37:22 PM
1818109	Yard Sw101 CM344+25 Mismatch top of rail	WABYARDSW101	APPR	02/20/15 05:07:43 PM
1818111	Yard Sw101 CM344+50 Mismatch on top of rail	WABYARDSW101	APPR	02/20/15 05:15:02 PM
914431	YARD E Ties Cracked (3) Yd 11 SW 101 344+2 <i>0 - Been Repaired</i>	WABYARDSW101	MONITOR	12/27/12 02:45:04 PM
1882581	YARD E Sw# 107 Deteriorated concrete tie under ST JT	WABYARDSW107	APPR	04/11/15 02:58:57 PM
890587	YARD E Switch Point / Running Rail Side Worn Yd 11 SW 107	WABYARDSW107	MONITOR	12/05/12 03:33:00 PM
1776742	YARD LH Stock Rail Side Worn (Angle 30 deg) Yd 11 SW 107	WABYARDSW107	APPR	01/16/15 04:02:59 PM
1703988	YARD E Switch Point / Closure Rail Side Worn Yd 3 SW 111	WABYARDSW111	MONITOR	11/11/14 04:37:11 PM
1454677	YARD E Switch Point Chipped Yd 3 SW 111	WABYARDSW111	MONITOR	04/07/14 08:54:37 AM
1510404	YARD E Frog Point Chipped Yd 3 SW 111	WABYARDSW111	APPR	05/27/14 02:28:32 PM
1524200	YARD E Standard Joint Bolt Missing (S/Rail) Ladder Track	WABYARDSW113	COMP	06/07/14 01:47:59 PM
4195	YARD E ST RL / SW PT / CL RL / Frog Side Worn Yd 3 SW 113	WABYARDSW113	MONITOR	06/07/14 01:40:51 PM
1776740	YARD LH Stock Rail Side Worn (Angle 22 deg) Yd 6 SW 117	WABYARDSW117	APPR	01/16/15 03:57:01 PM
1776741	YARD LH Stock Rail Side Worn (Angle 22 deg) Yd 6 SW 119	WABYARDSW119	APPR	01/16/15 04:00:00 PM
990496	YARD E Switch Point / Closure / Running Rail Side Worn SW 123	WABYARDSW123	MONITOR	03/02/13 01:24:35 PM
1755162	YARD Broken Concrete Tie Yd 2 SW 127 A	WABYARDSW127A	APPR	12/30/14 06:39:49 AM
914407	YARD E Switch Point / Running Rail Side Worn Yd 1 SW 127 A CM 349	WABYARDSW127A	MONITOR	12/27/12 02:19:44 PM
1882563	YARD E Sw# 127B Broken concrete tie under I J	WABYARDSW127B	APPR	04/11/15 02:46:50 PM
914439	YARD M Ties Cracked (7) Yd 1 SW 129 A CM 35	WABYARDSW129A	MONITOR	12/27/12 02:53:26 PM
1441909	YARD Standard Joint Loose (N/Rail) Yd 1 SW 13	WABYARDSW133A	APPR	03/28/14 12:48:56 PM
1872848	Yard Track2W Sw133B Tie saver pad missing on closure rail	WABYARDSW133B	APPR	04/03/15 05:49:29 AM
1666776	YARD W 3rd Rail Approach Mismatched / Burnt SW 137	WABYARDSW137	APPR	10/08/14 03:04:08 PM
1872851	Yard Track3W Sw137 Tie saver pad missing on closure rail.	WABYARDSW137	APPR	04/03/15 05:52:29 AM
1703973	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	11/11/14 04:24:58 PM
1703986	YARD W Switch Point Side Worn Yd 5 SW 143	WABYARDSW143	APPR	11/11/14 04:31:27 PM

*YARD E SW 101 St Joint Bottom S/R on C/stock Rail
344+75*

1776739	W YARD - LH Curve Stock Rail (Angle 27 deg) Yd 11 SW 151	WABYARDSW151	APPR	01/16/15 03:52:29 PM
1882557	YARD W Sw# 151 Curve closure 25 degrees angle wear	WABYARDSW151	APPR	04/11/15 02:42:56 PM
914415	YARD W Switch Point Worn Yd 11 SW 151	WABYARDSW151	MONITOR	12/27/12 02:34:20 PM
1742183	YARD IJ Battered / Running Rail Top Worn SW 16 1	WABYARDSW161	APPR	12/16/14 06:18:09 AM
1665736	YARD W 3rd Rail Burnt / Mismatched SW 163	WABYARDSW163	APPR	10/07/14 03:25:07 PM
1872845	Yard Track 2W Sw 163 Tie saver pad missing on closure rail	WABYARDSW163	APPR	04/03/15 05:37:09 AM
1790136	YARD Running Rail Top Worn (S/Rail) SW 165	WABYARDSW165B	APPR	01/29/15 02:37:47 PM
1775340	YARD IJ / Stock Rail Side Worn (Angle 25 deg) S W 165	WABYARDSW165B	APPR	01/15/15 02:40:35 PM
1775366	YARD LH Stock Rail (Angle 31 deg) Yd 1 SW 167 A	WABYARDSW167A	APPR	01/15/15 02:51:32 PM
914399	YARD W 167- A Sw.Pt; Cl.RL; Frog guard rail & running rail side worn	WABYARDSW167A	MONITOR	12/27/12 01:49:50 PM
1731452	YARD track #2, Sw# 167B, ST RL, SW PT, CL RL side worn	WABYARDSW167B	APPR	12/05/14 03:21:50 PM
1737754	YARD Trk 15, Sw# 171A, 1 cracked concrete tie	WABYARDSW171A	APPR	12/11/14 04:12:49 PM
1703971	YARD W, CM366+80, Trk 15, North running rail worn 33 degrees	WABYARDSW171A	MONITOR	11/11/14 04:19:53 PM
1459943	YARD W, Sw.19A, trk#15- west, frog needs welding	WABYARDSW19A	APPR	04/11/14 05:18:05 PM
1918040	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	05/08/15 03:07:17 AM
1666333	YARD W, Sw.171B, 3rd rail mismatch		APPR	10/08/14 05:26:54 AM
1909297	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	05/01/15 03:30:38 AM
1325359	YARD W Switch Point Side Worn Yd Tr 1 171B		MONITOR	12/17/13 03:15:52 PM
1756483	YARD Sw# 139, ST RL, SW PT, CL RL has side wear		APPR	12/31/14 02:00:17 PM

YARD W 167 A Metal CB bracket @ end approach Bent
Turn out Side

Work Order	Description	Work Location	Status	Reported Date
52021	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	REVIEW	04/04/14 07:30:07 AM
2013754	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	07/21/15 11:25:42 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	07/21/15 03:12:37 PM
1949957	Mainline / Yard Heat Inspection	CHAIN_MARKERS	INPRG	06/03/15 05:28:29 AM
2017701	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	07/24/15 09:09:04 AM
2013921	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	07/21/15 02:06:10 PM
2014138	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	07/21/15 05:35:34 PM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	REVIEW	12/27/12 02:45:04 PM
2014102	YARD E 3rd Anchor Clevis Pin Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	07/21/15 05:12:41 PM
2013969	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	07/21/15 02:23:13 PM
2013964	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	07/21/15 02:19:14 PM
1953163	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	REVIEW	06/05/15 07:24:05 AM
2017700	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	07/24/15 09:05:54 AM
2013802	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103	WABYARDSW103	APPR	07/21/15 12:01:44 PM
2017960	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	FAIL	07/24/15 04:31:38 PM
2015067	YARD E Curved Closure Rail Side Worn (25 Deg) YD 11 SW 107	WABYARDSW107	WMATL	07/22/15 07:53:36 AM
2017797	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	07/24/15 12:18:05 PM
2017975	YARD E Switch Point/Running Rail Side Worn (31 deg) YD 11 SW107	WABYARDSW107	FAIL	07/24/15 04:56:11 PM
1454677	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	REVIEW	04/07/14 08:54:37 AM
1703988	YARD E Switch Point / Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	REVIEW	11/11/14 04:37:11 PM
2017965	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	07/24/15 04:47:33 PM
2017769	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	07/24/15 11:11:52 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	07/24/15 11:10:14 AM
2017794	YARD E Rail Side Worn YD 12 (Near Sig 122) (26 deg)	WABYARDSW123	APPR	07/24/15 12:06:37 PM
2017968	YARD E Switch Point/Closure/Running Rail Side Worn (29 Deg) SW 123	WABYARDSW123	FAIL	07/24/15 04:51:30 PM
2017790	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	07/24/15 11:41:50 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127A CM 349	WABYARDSW127A	REVIEW	12/27/12 02:19:44 PM
2013931	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 02:09:37 PM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 06:08:34 PM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	REVIEW	12/27/12 02:53:26 PM
2013809	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	07/21/15 12:09:30 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	07/22/15 05:52:17 AM
2013930	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	07/21/15 02:09:33 PM
2014924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	07/22/15 05:49:50 AM
2014160	YARD W RH Switch Point/Closure Side Worn SW 139 (26 Deg)	WABYARDSW139	APPR	07/21/15 06:12:24 PM
2013780	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/21/15 11:45:39 AM
2017962	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139	WABYARDSW139	FAIL	07/24/15 04:35:02 PM
1703973	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	REVIEW	11/11/14 04:24:58 PM
2013961	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	07/21/15 02:17:56 PM
2014159	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	07/21/15 06:10:14 PM
4415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	REVIEW	12/27/12 02:34:20 PM
2017961	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	07/24/15 04:33:06 PM

2013936	YARD E #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	07/21/15 02:11:42 PM
2015370	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	07/22/15 02:39:12
2013914	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	07/21/15 02:01:10 PM
2014930	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	07/22/15 05:59:54 AM
2017742	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	07/24/15 10:59:44 AM
2017773	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	07/24/15 11:16:56 AM
2017772	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	07/24/15 11:15:09 AM
2017973	YARD W Switch Point/Closure/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	07/24/15 04:54:52 PM
2013790	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/21/15 11:53:28 AM
2013796	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/21/15 11:57:38 AM
2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	07/21/15 05:33:29 PM
2013785	YARD W Standard Joint Bolts Loose (2) (S/R) SW 167B 364+80	WABYARDSW167B	APPR	07/21/15 11:50:06 AM
2017963	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	07/24/15 04:37:09 PM
2014120	YARD W #2 Heel Block Bolt Loose YD 2 SW 167B 365+50	WABYARDSW167B	APPR	07/21/15 05:24:12 PM
2013916	YARD W Frog Bolts Loose SW 167B 365+15	WABYARDSW167B	APPR	07/21/15 02:03:40 PM
2014121	YARD W Insulated Joint Bolts Loose YD 2 SW 167B 364+40	WABYARDSW167B	APPR	07/21/15 05:26:11 PM
1703971	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	REVIEW	11/11/14 04:19:53 PM
2013920	YARD W 3rd Rail Mismatch YD 1 SW 171B	WABYARDSW171B	APPR	07/21/15 02:06:03 PM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	07/21/15 12:15:31 PM
2014892	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	07/22/15 04:19:51 AM
2022901	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	07/29/15 04:19:47 AM
1325359	YARD W Switch Point Side Worn YD 1 171B		REVIEW	12/17/13 03:15:52 PM

Find Work Order Select Action

List Work Order Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 1925595 (YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: >>

Alias:

Location: CHAIN_MARK >> Metro Chain Markers

Work Location: >>

* Work Type: PM

Status: APPR

Status Date: 05/16/15 07:22:46 AM

Reported By: MTACRON

Phone:

Reported Date: 05/15/15 03:07:38 AM

On Behalf Of:

Consist: >>

Asset Details

Year:

Manufacturer: >>

Model: >>

Serial #:

Type: >>

Status:

Asset Condition:

Address Information

Service Address: >>

City:

Formatted Address:

State/Province:

Street Address: >>


WEEKLY TRACK WALKING INSPECTION REPORTING FORM

Name A. JEFFERSON W. GREENWOOD Date 5-22-15 Page 1 of 1
(Please Print)

Inspected From W / YARD To E / YARD Yard Tr # All WO# 1925595

Item	Exception Chain Marker No.		Track No.	Rail N/S	Switch No.	Codes		Status S/Y/R	Repair Y/N	W. O.
	From	To				Comp.	Defect			
1.	364			S	165					1796136
2.	364+40			S	167B					1934968
3.	365+50			N	167					1934969
4.				N	103					1934970
5.			S	S	113					1524200
6.	334+20		S	N	101					1937572
7.			S	S	113					1937610
8.										
9.										
10.										
11.										
12.										
13.										
14.										
15.										
16.										
17.										
18.										
19.										
20.										

Item	COMMENTS
1	Stock rail head is flat 32'
2	Insulated Joint bolts are loose
3	Heal block bolt missing
4	Heal block bolt missing
5	Non insulated Joint bolt missing
6	Third rail anchor bolt is missing
7	Heal block bolt missing


Trackwalkers Signature


Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
52021	YARD 2 Concrete Ties Cracked Yd 2 347+90	348W	MONITOR	04/04/14 07:30:07 AM
951639	YARD W Coverboard / Splice Plate Yd 1 368+80	368W	APPR	01/29/13 11:33:00 AM
914389	YARD W Out of Surface Yd 1 369+20-366+70	369W	HOLD	12/27/12 01:37:09 PM
1882554	YARD W R/H Switch Point/Closure Rails Side Worn SW 139 (26 Deg)	CMWABYARD	APPR	04/11/15 02:37:22 PM
1818111	Yard E Standard Joint Mismatched SW 101 344+5	WABYARDSW101	APPR	02/20/15 05:15:02 PM
1818109	YARD E Standard Joint Mismatched YD 11 SW 10	WABYARDSW101	APPR	02/20/15 05:07:43 PM
914431	YARD E Ties Cracked (3) Yd 11 SW 101 344+2	WABYARDSW101	MONITOR	12/27/12 02:45:04 PM
1926821	YARD E Stock Rail Standard Joint Battered YD 101	WABYARDSW101	APPR	05/16/15 02:32:46 PM
1882581	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	04/11/15 02:58:57 PM
890587	YARD E Switch Point / Running Rail Side Worn Yd 11 SW 107	WABYARDSW107	MONITOR	12/05/12 03:33:00 PM
1776742	YARD LH Stock Rail Side Worn (Angle 30 deg) Yd 11 SW 107	WABYARDSW107	APPR	01/16/15 04:02:59 PM
1703988	YARD E Switch Point / Closure Rail Side Worn Yd 3 SW 111	WABYARDSW111	MONITOR	11/11/14 04:37:11 PM
1510404	YARD E Frog Point Chipped Yd 3 SW 111	WABYARDSW111	APPR	05/27/14 02:28:32 PM
1454677	YARD E Switch Point Chipped Yd 3 SW 111	WABYARDSW111	MONITOR	04/07/14 08:54:37 AM
24195	YARD E ST RL/ SW PT/ CI RL / Frog Side Worn Yd 3 SW 113	WABYARDSW113	MONITOR	06/07/14 01:40:51 PM
1524200	YARD E Standard Joint Bolt Missing (S/) YD 3 SW 113	WABYARDSW113	COMP	06/07/14 01:47:59 PM
1776740	YARD LH Stock Rail Side Worn (Angle 22 deg) Yd 6 SW 117	WABYARDSW117	APPR	01/16/15 03:57:01 PM
1776741	YARD LH Stock Rail Side Worn (Angle 22 deg) Yd 6 SW 119	WABYARDSW119	APPR	01/16/15 04:00:00 PM
990496	YARD E Switch Point / Closure / Running Rail Side Worn SW 123	WABYARDSW123	MONITOR	03/02/13 01:24:35 PM
914407	YARD E Switch Point / Running Rail Side Worn Yd 1 SW 127 A CM 349	WABYARDSW127A	MONITOR	12/27/12 02:19:44 PM
1755162	YARD Broken Concrete Tie Yd 2 SW 127 A	WABYARDSW127A	APPR	12/30/14 06:39:49 AM
1882563	YARD E Broken Concrete Tie YD 2 SW 127B	WABYARDSW127B	APPR	04/11/15 02:46:50 PM
914439	YARD M Ties Cracked (7) Yd 1 SW 129 A CM 35	WABYARDSW129A	MONITOR	12/27/12 02:53:26 PM
1441909	YARD Standard Joint Loose (N/Rail) Yd 1 SW 13	WABYARDSW133A	APPR	03/28/14 12:48:56 PM
1872848	Yard W Closure Rail Tie Saver Pad Missing YD 2 S	WABYARDSW133B	APPR	04/03/15 05:49:29 AM
1872851	Yard W Closure Rail Tie Saver Pad YD 3 SW 137	WABYARDSW137	APPR	04/03/15 05:52:29 AM
1666776	YARD W 3rd Rail Approach Mismatched / Burnt SW 137	WABYARDSW137	APPR	10/08/14 03:04:08 PM
1703973	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	11/11/14 04:24:58 PM
03986	YARD W Switch Point Side Worn Yd 5 SW 143	WABYARDSW143	APPR	11/11/14 04:31:27 PM

1882557	YARD W Curve Closure Side Worn (25 Deg) YD 11 SW 151	WABYARDSW151	APPR	04/11/15 02:42:56 PM
1776739	YARD LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	APPR	01/16/15 03:52:29 PM
914415	YARD W Switch Point Worn Yd 11 SW 151	WABYARDSW151	MONITOR	12/27/12 02:34:20 PM
1742183	YARD IJ Battered / Running Rail Top Worn SW 16 1	WABYARDSW161	APPR	12/16/14 06:18:09 AM
1665736	YARD W 3rd Rail Burnt / Mismatched SW 163	WABYARDSW163	APPR	10/07/14 03:25:07 PM
1872845	Yard W Closure Rail Tie Saver Pad Missing YD 2 S W 163	WABYARDSW163	APPR	04/03/15 05:37:09 AM
1790136	YARD Running Rail Top Worn (S/Rail) SW 165	WABYARDSW165B	APPR	01/29/15 02:37:47 PM
1775340	YARD IJ / Stock Rail Side Worn (Angle 25 deg) S W 165	WABYARDSW165B	APPR	01/15/15 02:40:35 PM
1775366	YARD LH Stock Rail (Angle 31 deg) Yd 1 SW 167 A	WABYARDSW167A	APPR	01/15/15 02:51:32 PM
914399	YARD W 167- A Sw.Pt; Cl.RL; Frog guard rail & running rail side worn	WABYARDSW167A	MONITOR	12/27/12 01:49:50 PM
1926825	YARD W Metal Coverboard Bracket Bent YD 167 A	WABYARDSW167A	APPR	05/16/15 02:42:57 PM
1731452	YARD track #2, Sw# 167B, ST RL, SW PT, CL RL side worn	WABYARDSW167B	APPR	12/05/14 03:21:50 PM
1737754	YARD Trk 15, Sw# 171A, 1 cracked concrete tie	WABYARDSW171A	APPR	12/11/14 04:12:49 PM
1703971	YARD W, CM366+80, Trk 15, North running rail worn 33 degrees	WABYARDSW171A	MONITOR	11/11/14 04:19:53 PM
1459943	YARD W, Sw.19A, trk#15-west, frog needs welding	WABYARDSW19A	APPR	04/11/14 05:18:05 PM
1325359	YARD W Switch Point Side Worn Yd Tr 1 171B		MONITOR	12/17/13 03:15:52 PM
1918040	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		INPRG	05/08/15 03:07:17 AM
1756483	YARD Sw# 139, ST RL, SW PT, CL RL has side wear		APPR	12/31/14 02:00:17 PM
1666333	YARD W, Sw.171B, 3rd rail mismatch		APPR	10/08/14 05:26:54 AM
1925595	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	05/15/15 03:07:38 AM

Work Order Tracking (Tr) Bulletins: (1) [Go To](#)

Find Work Order



Select Action



List **Work Order** Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 1933505

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: >>

Alias:

Location: CHAIN_MARK >> Metro Chain Markers

Work Location: >>

Work Type: PM

Status: APPR

Status Date: 05/23/15 01:46:11 PM

Reported By: MTACRON

Phone:

Reported Date: 05/22/15 04:19:34 AM

On Behalf Of:

Consist: >>

Asset Details

Year:

Manufacturer: >>

Model: >>

Serial #:

Type: >>

Status:

Asset Condition:

Address Information


Service Address: >>

City:

Formatted Address:

State/Province:

Street Address: >>



WEEKLY TRACK WALKING INSPECTION REPORTING FORM

Name Alchin Greenwood Date 05/27/15 Page 1 of 1
 (Please Print)

Inspected From W / YARD To E / YARD Yard Tr # All WO# 1933505

Item	Exception Chain Marker No.		Track No.	Rail N/S	Switch No.	Codes		Status S/Y/R	Repair Y/N	W. O.
	From	To				Comp.	Defect			
1.			2	N/S	169	T03	D31	R	Y	1943124
2.			3	N	163	P03	D16	Y	N	1872845
3.			11	N	101	T03	D09	Y	N	914431
4.			3	N	111	S04	D05	Y	N	14541671
5.			1	N	129	T03	D09	Y	N	914439
6.										
7.										
8.										
9.										
10.										
11.										
12.										
13.										
14.										
15.										
16.										
17.										
18.										
19.										
20.										

Item	COMMENTS
1	Head black tie Number one switch rod is screaming it
2	Insulator joint tie saver pad has worked out
3	Three cracked concrete ties
4	Switch point chipped
5	Seven cracked concrete ties

Woodrow Greenwood
 Trackwalkers Signature


 Supervisory Certification

Wabash Yard 5-23-15

Page 1

Work Order	Description	Work Location	Status	Reported Date
52021	YARD 2 Concrete Ties Cracked Yd 2 347+90	348W	MONITOR	04/04/14 07:30:07 AM
951639	YARD W Coverboard / Splice Plate Yd 1 368+80	368W	APPR	01/29/13 11:33:00 AM
914389	YARD W Out of Surface Yd 1 369+20-366+70	369W	HOLD	12/27/12 01:37:09 PM
1882554	YARD W R/H Switch Point/Closure Rails Side Worn SW 139 (26 Deg)	CMWABYARD	APPR	04/11/15 02:37:22 PM
1818109	YARD E Standard Joint Mismatched YD 11 SW 10 1 344+25	WABYARDSW101	APPR	02/20/15 05:07:43 PM
1930637	Yard Battered Standard Joint on Stock Rail Sw # 101	WABYARDSW101	APPR	05/20/15 05:10:03 AM
1818111	Yard E Standard Joint Mismatched SW 101 344+5 0	WABYARDSW101	APPR	02/20/15 05:15:02 PM
914431	YARD E Ties Cracked (3) Yd 11 SW 101 344+2 0	WABYARDSW101	MONITOR	12/27/12 02:45:04 PM
1934970	Yard Heel block bolt Missing Sw # 103	WABYARDSW103	APPR	05/23/15 10:31:32 AM
1882581	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	04/11/15 02:58:57 PM
890587	YARD E Switch Point / Running Rail Side Worn Yd 11 SW 107	WABYARDSW107	MONITOR	12/05/12 03:33:00 PM
1776742	YARD LH Stock Rail Side Worn (Angle 30 deg) Yd 11 SW 107	WABYARDSW107	APPR	01/16/15 04:02:59 PM
1510404	YARD E Frog Point Chipped Yd 3 SW 111	WABYARDSW111	APPR	05/27/14 02:28:32 PM
1703988	YARD E Switch Point / Closure Rail Side Worn Yd 3 SW 111	WABYARDSW111	MONITOR	11/11/14 04:37:11 PM
4677	YARD E Switch Point Chipped Yd 3 SW 111	WABYARDSW111	MONITOR	04/07/14 08:54:37 AM
1524195	YARD E ST RL/ SW PT/ CI RL / Frog Side Worn Yd 3 SW 113	WABYARDSW113	MONITOR	06/07/14 01:40:51 PM
1524200	YARD E Standard Joint Bolt Missing (S/) YD 3 SW 113	WABYARDSW113	COMP	06/07/14 01:47:59 PM
1776740	YARD LH Stock Rail Side Worn (Angle 22 deg) Yd 6 SW 117	WABYARDSW117	APPR	01/16/15 03:57:01 PM
1776741	YARD LH Stock Rail Side Worn (Angle 22 deg) Yd 6 SW 119	WABYARDSW119	APPR	01/16/15 04:00:00 PM
990496	YARD E Switch Point / Closure / Running Rail Side Worn SW 123	WABYARDSW123	MONITOR	03/02/13 01:24:35 PM
914407	YARD E Switch Point / Running Rail Side Worn Yd 1 SW 127 A CM 349	WABYARDSW127A	MONITOR	12/27/12 02:19:44 PM
1755162	YARD Broken Concrete Tie Yd 2 SW 127 A	WABYARDSW127A	APPR	12/30/14 06:39:49 AM
1882563	YARD E Broken Concrete Tie YD 2 SW 127B	WABYARDSW127B	APPR	04/11/15 02:46:50 PM
914439	YARD M Ties Cracked (7) Yd 1 SW 129 A CM 35 4	WABYARDSW129A	MONITOR	12/27/12 02:53:26 PM
1441909	YARD Standard Joint Loose (N/Rail) Yd 1 SW 13 3 A	WABYARDSW133A	APPR	03/28/14 12:48:56 PM
1872848	Yard W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	04/03/15 05:49:29 AM
1666776	YARD W 3rd Rail Approach Mismatched / Burnt SW 137	WABYARDSW137	APPR	10/08/14 03:04:08 PM
1872851	Yard W Closure Rail Tie Saver Pad YD 3 SW 137	WABYARDSW137	APPR	04/03/15 05:52:29 AM
3973	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	11/11/14 04:24:58 PM

1703986	YARD W Switch Point Side Worn Yd 5 SW 143	WABYARDSW143	APPR	11/11/14 04:31:27 PM
1933780	Derailment Yard Trks 7 & 8 5/19/15	WABYARDSW145	APPR	05/22/15 08:17:13 AM
914415	YARD W Switch Point Worn Yd 11 SW 151	WABYARDSW151	MONITOR	12/27/12 02:34:20 PM
1776739	YARD LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	APPR	01/16/15 03:52:29 PM
1882557	YARD W Curve Closure Side Worn (25 Deg) YD 11 SW 151	WABYARDSW151	APPR	04/11/15 02:42:56 PM
1742183	YARD IJ Battered / Running Rail Top Worn SW 16 1	WABYARDSW161	APPR	12/16/14 06:18:09 AM
1665736	YARD W 3rd Rail Burnt / Mismatched SW 163	WABYARDSW163	APPR	10/07/14 03:25:07 PM
1872845	Yard W Closure Rail Tie Saver Pad Missing YD 2 S W 163	WABYARDSW163	APPR	04/03/15 05:37:09 AM
1775340	YARD IJ / Stock Rail Side Worn (Angle 25 deg) S W 165	WABYARDSW165B	APPR	01/15/15 02:40:35 PM
1790136	YARD Running Rail Top Worn (S/Rail) SW 165	WABYARDSW165B	APPR	01/29/15 02:37:47 PM
1930640	Yard Coverboard bracket bent Sw # 167A	WABYARDSW167A	APPR	05/20/15 05:25:02 AM
1775366	YARD LH Stock Rail (Angle 31 deg) Yd 1 SW 167 A	WABYARDSW167A	APPR	01/15/15 02:51:32 PM
914399	YARD W 167- A Sw.Pt; Cl.RL; Frog guard rail & running rail side worn	WABYARDSW167A	MONITOR	12/27/12 01:49:50 PM
1934969	Yard Heel Block bolt is missing Sw # 167B CM36 5+50	WABYARDSW167B	APPR	05/23/15 10:26:31 AM
1934968	Yard Insulated joint bolts are loose Sw # 167B 3 64+40	WABYARDSW167B	APPR	05/23/15 10:20:16 AM
1731452	YARD track #2, Sw# 167B, ST RL, SW PT, CL RL side worn	WABYARDSW167B	APPR	12/05/14 03:21:50 PM
1703971	YARD W, CM366+80, Trk 15, North running rail worn 33 degrees	WABYARDSW171A	MONITOR	11/11/14 04:19:53 PM
1737754	YARD Trk 15, Sw# 171A, 1 cracked concrete tie	WABYARDSW171A	APPR	12/11/14 04:12:49 PM
1459943	YARD W, Sw.19A, trk#15-west, frog needs welding	WABYARDSW19A	APPR	04/11/14 05:18:05 PM
1756483	YARD Sw# 139, ST RL, SW PT, CL RL has side wear		APPR	12/31/14 02:00:17 PM
1666333	YARD W, Sw.171B, 3rd rail mismatch		APPR	10/08/14 05:26:54 AM
1325359	YARD W Switch Point Side Worn Yd Tr 1 171B		MONITOR	12/17/13 03:15:52 PM
1933505	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	05/22/15 04:19:34 AM
1925595	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	05/15/15 03:07:38 AM

Work Order Tracking (Tr)

Bulletins: (1) Go To

Find Work Order

Select Action

List Work Order Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 1941408 (YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: >>

Alias:

Location: CHAIN_MARK >> Metro Chain Markers

Work Location: >>

* Work Type: PM

Status: APPR

Status Date: 06/02/15 05:45:20 AM

Reported By: MTACRON >>

Phone:

Reported Date: 05/29/15 04:17:27 AM

On Behalf Of:

Consist: >>

Asset Details

Year:

Manufacturer: >>

Model: >>

Serial #:

Type: >>

Status:

Asset Condition:

Address Information

Service Address: >>

City:

Formatted Address:

State/Province:

Street Address:

WEEKLY TRACK WALKING INSPECTION REPORTING FORM

Name M Alchin J Chase Date 6/5/2015 Page 1 of 1

Inspected From W/Yard To E/Yard Yard Tr # All WO# 1941408

Item	Exception Chain Marker No.		Track No.	Rail N/S	Switch No.	Codes		Status S/Y/R	Repair Y/N	W. O.
	From	To				Comp.	Defect			
1.	363+40			S	161	S11	D20	Y	N	1954341
2.				N	127B	C12	D21	Y	N	1954342
3.					101	F09/F03	D16/D20	Y	N	1954344
4.										
5.										
6.										
7.										
8.										
9.										
10.										
11.										
12.										
13.										
14.										
15.										
16.										
17.										
18.										
19.										
20.										

Item	COMMENTS
1	#1 Bolt in Self Guarded Frog loose
2	3rd Rail Insulator Cup missing
3	8 Pandrol Clips on Self Guarded Frog missing. 4 Saddles loose on ties.

Michael A Alchin
Trackwalkers Signature


Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
52021	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	MONITOR	04/04/14 07:30:07 AM
951639	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	01/29/13 11:33:00 AM
914389	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	12/27/12 01:37:09 PM
1882554	YARD W RH Switch Point/Closure Side Worn SW 1 39 (26 deg)	CMWABYARD	APPR	04/11/15 02:37:22 PM
1930637	YARD E Stock Rail Standard Joint Battered SW 10 1	WABYARDSW101	APPR	05/20/15 05:10:03 AM
1818109	YARD E Standard Joint Mismatched YD 11 SW 10 1 344+25	WABYARDSW101	APPR	02/20/15 05:07:43 PM
1937572	YARD 3rd Anchor Bolt Missing SW 101 334+20	WABYARDSW101	APPR	05/26/15 03:10:17 PM
1818111	Yard E Standard Joint Mismatched SW 101 344+5 0	WABYARDSW101	APPR	02/20/15 05:15:02 PM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	MONITOR	12/27/12 02:45:04 PM
1934970	YARD E Heel Block Bolt Missing SW 103 76	WABYARDSW103	APPR	05/23/15 10:31:32 AM
1882581	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	04/11/15 02:58:57 PM
890587	YARD E Switch Point / Running Rail Side Worn YD 11 SW 107	WABYARDSW107	MONITOR	12/05/12 03:33:00 PM
1776742	YARD E LH Stock Rail Side Worn (30 deg) YD 11 S W 107	WABYARDSW107	APPR	01/16/15 04:02:59 PM
1703988	YARD E Switch Point / Closure Rail Side Worn YD 3 SW 111	WABYARDSW111	MONITOR	11/11/14 04:37:11 PM
54677	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	04/07/14 08:54:37 AM
1510404	YARD E Frog Point Chipped YD 3 SW 111	WABYARDSW111	APPR	05/27/14 02:28:32 PM
1937610	YARD E Heel Block Bolt Missing YD 3 SW 113	WABYARDSW113	APPR	05/26/15 03:23:15 PM
1524195	YARD E Stock/Switch Point/Closure/Frog Side Worn YD 3 SW 113	WABYARDSW113	MONITOR	06/07/14 01:40:51 PM
1776740	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	01/16/15 03:57:01 PM
1776741	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	01/16/15 04:00:00 PM
990496	YARD E Switch Point/Closure/Running Rail Side Worn SW 123	WABYARDSW123	MONITOR	03/02/13 01:24:35 PM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	MONITOR	12/27/12 02:19:44 PM
1755162	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	12/30/14 06:39:49 AM
1882563	YARD E Broken Concrete Tie YD 2 SW 127B	WABYARDSW127B	APPR	04/11/15 02:46:50 PM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	MONITOR	12/27/12 02:53:26 PM
1441909	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	03/28/14 12:48:56 PM
1872848	Yard W Closure Rail Tie Saver Pad Missing YD 2 S W 133B	WABYARDSW133B	APPR	04/03/15 05:49:29 AM
1872851	Yard W Closure Rail Tie Saver Pad YD 3 SW 137	WABYARDSW137	APPR	04/03/15 05:52:29 AM
56776	YARD W 3rd Rail Approach Mismatch/Burnt SW 1 37	WABYARDSW137	APPR	10/08/14 03:04:08 PM

1703973	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	11/11/14 04:24:58 PM
1703986	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	11/11/14 04:31:27 PM
1933780	YARD Derailment Yard Tracks 7 & 8 5/19/15	WABYARDSW145	APPR	05/22/15 08:17:13 AM
914415	YARD W Switch Point Worn YD 11 SW 151	WABYARDSW151	MONITOR	12/27/12 02:34:20 PM
1776739	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	APPR	01/16/15 03:52:29 PM
1882557	YARD W Curve Closure Side Worn (25 Deg) YD 11 SW 151	WABYARDSW151	APPR	04/11/15 02:42:56 PM
1742183	YARD W H Battered / Running Rail Top Worn SW 161	WABYARDSW161	APPR	12/16/14 06:18:09 AM
1872845	Yard W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	04/03/15 05:37:09 AM
1665736	YARD W 3rd Rail Burnt / Mismatched SW 163	WABYARDSW163	APPR	10/07/14 03:25:07 PM
1775340	YARD W IJ / Stock Rail Side Worn (Angle 25 deg) SW 165	WABYARDSW165B	APPR	01/15/15 02:40:35 PM
1790136	YARD W Running Rail Top Worn (S/R) SW 165 <i>It Battered / End Post det.</i>	WABYARDSW165B	APPR	01/29/15 02:37:47 PM
1930640	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	05/20/15 05:25:02 AM
914399	YARD W Switch Point/Closure/Frog Guard Rail/Running Rail Side Worn SW 167A	WABYARDSW167A	MONITOR	12/27/12 01:49:50 PM
1775366	YARD W LH Stock Rail (Angle 31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	01/15/15 02:51:32 PM
1731452	YARD W Closure/Stock /Switch Point/Side Worn YD 2 SW 167B	WABYARDSW167B	APPR	12/05/14 03:21:50 PM
1934969	Yard W Heel Block Bolt Missing YD 2 SW 167B 365+50	WABYARDSW167B	APPR	05/23/15 10:26:31 AM
1934968	Yard W Insulated Joint Bolts Loose YD 2 SW 167B 364+40	WABYARDSW167B	APPR	05/23/15 10:20:16 AM
1737754	YARD W Concrete Tie Cracked YD 15 SW 171A	WABYARDSW171A	APPR	12/11/14 04:12:49 PM
1703971	YARD W Running Rail Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	11/11/14 04:19:53 PM
1459943	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	04/11/14 05:18:05 PM
1666333	YARD W 3rd Rail Mismatch YD 1 SW 171B →	APPR	10/08/14 05:26:54 AM	
1756483	YARD W Stock/Closure Rails/ Switch Point Side Worn YD 13 SW 139 →	APPR	12/31/14 02:00:17 PM	
1941408	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING	APPR	05/29/15 04:17:27 AM	
1325359	YARD W Switch Point Side Worn YD 1 171B →	MONITOR	12/17/13 03:15:52 PM	

Work Order Tracking (Tr)

Bulletins: (1) Go To

Find Work Order



Select Action



List Work Order Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 1953018 (YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: »

Alias:

Location: CHAIN_MARK » Metro Chain Markers

Work Location: »

Work Type: PM

Status: APPR

Status Date: 06/06/15 11:18:20 AM

Reported By: MTACRON »

Phone:

Reported Date: 06/05/15 04:16:31 AM

On Behalf Of: »

Consist: »

Asset Details

Year:

Manufacturer: »

Model: »

Serial #:

Type: »

Status:

Asset Condition:

Address Information

Service Address: »

Formatted Address:

Street Address:

City:

State/Province: »

WEEKLY TRACK INSPECTION REPORT

Name M Alchin J Chase Date 6/12/2015 Page 1 of 1

Inspected From **W/Yard** To **E/Yard** Yard Tr # **All** **WO#** **1953018**

[illegible]

Item	COMMENTS
------	----------

[illegible]

Michael A Alehin
Trackwalkers Signature

Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
52021	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	MONITOR	04/04/14 07:30:07 AM
951639	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	01/29/13 11:33:00 AM
914389	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	12/27/12 01:37:09 PM
1949957	Heat Inspection of Mainline & Yard Tracks	CHAIN_MARKERS	APPR	06/03/15 05:28:29 AM
1882554	YARD W RH Switch Point/Closure Side Worn SW 1 39 (26 deg)	CMWABYARD	APPR	04/11/15 02:37:22 PM
1818111	Yard E Standard Joint Mismatched SW 101 344+5	WABYARDSW101	APPR	02/20/15 05:15:02 PM
1937572	YARD E 3rd Anchor Clevis Pin Cotter Pin Missing S W 101 334+20	WABYARDSW101	APPR	05/26/15 03:10:17 PM
1930637	YARD E Stock Rail Standard Joint Battered SW 10	WABYARDSW101	APPR	05/20/15 05:10:03 AM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	MONITOR	12/27/12 02:45:04 PM
1818109	YARD E Standard Joint Mismatched YD 11 SW 10 1 344+25	WABYARDSW101	APPR	02/20/15 05:07:43 PM
1954344	Yard 8 Pandrol Clips Missing on Frog, 4 saddles loose Sw 101	WABYARDSW101	APPR	06/06/15 11:03:10 AM
1953163	YARD E RH Stock Rail Side Worn (22 Deg) SW 10	WABYARDSW101	WMATL	06/05/15 07:24:05 AM
1953126	YARD E Wide Gauge Ahead of Bend (Exceeds 57 ") SW 101	WABYARDSW101	WAPPR	06/05/15 07:00:11 AM
1953156	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	06/05/15 07:20:42 AM
34970	YARD E Heel Block #6 Bolt Missing SW 103	WABYARDSW103	APPR	05/23/15 10:31:32 AM
0587	YARD E Switch Point/Running Rail Side Worn (31 deg) YD 11 SW 107	WABYARDSW107	MONITOR	12/05/12 03:33:00 PM
1882581	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	04/11/15 02:58:57 PM
1949966	YARD E Curved Closure Rail Side Worn (25 Deg) YD 11 SW 107	WABYARDSW107	WMATL	06/03/15 05:57:10 AM
1776742	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	APPR	01/16/15 04:02:59 PM
1703988	YARD E Switch Point / Closure Rail Side Worn YD 3 SW 111	WABYARDSW111	MONITOR	11/11/14 04:37:11 PM
1454677	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	04/07/14 08:54:37 AM
1937610	YARD E Heel Block Bolt Missing YD 3 SW 113	WABYARDSW113	APPR	05/26/15 03:23:15 PM
1524195	YARD E Stock/Switch Point/Closure/Frog Side Worn YD 3 SW 113	WABYARDSW113	MONITOR	06/07/14 01:40:51 PM
1776740	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	01/16/15 03:57:01 PM
1776741	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	01/16/15 04:00:00 PM
990496	YARD E Switch Point/Closure/Running Rail Side Worn SW 123	WABYARDSW123	MONITOR	03/02/13 01:24:35 PM
1755162	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	12/30/14 06:39:49 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	MONITOR	12/27/12 02:19:44 PM
1054342	Yard 3rd Rail Insulator Cup Missing Sw 127B YD 2 E	WABYARDSW127B	APPR	06/06/15 10:56:32 AM

1882563	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	04/11/15 02:46:50 PM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	MONITOR	12/27/12 02:53:26 PM
1441909	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	03/28/14 12:48:56 PM
1872848	Yard W Closure Rail Tie Saver Pad Missing YD 2 S W 133B	WABYARDSW133B	APPR	04/03/15 05:49:29 AM
1666776	YARD W 3rd Rail Approach Mismatch/Burnt SW 1 37	WABYARDSW137	APPR	10/08/14 03:04:08 PM
1872851	Yard W Closure Rail Tie Saver Pad YD 3 SW 137	WABYARDSW137	APPR	04/03/15 05:52:29 AM
1703973	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	11/11/14 04:24:58 PM
1703986	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	11/11/14 04:31:27 PM
1933780	YARD Derailment Yard Tracks 7 & 8 5/19/15	WABYARDSW145	COMP	05/22/15 08:17:13 AM
914415	YARD W Switch Point Worn YD 11 SW 151	WABYARDSW151	MONITOR	12/27/12 02:34:20 PM
1776739	YARD W LH Curve Stock Rail Side Worn (27 deg) Y D 11 SW 151	WABYARDSW151	APPR	01/16/15 03:52:29 PM
1882557	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	04/11/15 02:42:56 PM
1742183	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	12/16/14 06:18:09 AM
1954341	Yard #1 Frog Bolt Loose Sw # 161 CM 363+40	WABYARDSW161	APPR	06/06/15 10:51:20 AM
1872845	Yard W Closure Rail Tie Saver Pad Missing YD 2 S W 163	WABYARDSW163	APPR	04/03/15 05:37:09 AM
1665736	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	10/07/14 03:25:07 PM
1775340	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	01/15/15 02:40:35 PM
1790136	YARD W IJ & End Post Battered/Rail Top Worn (S/ R) SW 165	WABYARDSW165B	APPR	01/29/15 02:37:47 PM
1930640	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	05/20/15 05:25:02 AM
914399	YARD W Switch Point/Closure/Frog Guard Rail/Ru nning Rail Side Worn SW 167A	WABYARDSW167A	MONITOR	12/27/12 01:49:50 PM
1775366	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	01/15/15 02:51:32 PM
1934968	Yard W Insulated Joint Bolts Loose YD 2 SW 167B 364+40	WABYARDSW167B	APPR	05/23/15 10:20:16 AM
1731452	YARD W Closure/Stock/Switch Point/Side Worn Y D 2 SW 167B	WABYARDSW167B	APPR	12/05/14 03:21:50 PM
1934969	Yard W Heel Block Bolt Missing YD 2 SW 167B 365 +50	WABYARDSW167B	APPR	05/23/15 10:26:31 AM
1737754	YARD W Concrete Tie Cracked YD 15 SW 171A	WABYARDSW171A	APPR	12/11/14 04:12:49 PM
1703971	YARD W Running Rail Worn (33 deg) YD 15 SW 17 1A	WABYARDSW171A	MONITOR	11/11/14 04:19:53 PM
1459943	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	04/11/14 05:18:05 PM
1325359	YARD W Switch Point Side Worn YD 1 171B		MONITOR	12/17/13 03:15:52 PM
1666333	YARD W 3rd Rail Mismatch YD 1 SW 171B		APPR	10/08/14 05:26:54 AM

1941408	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING	COMP	05/29/15 04:17:27 AM
1756483	YARD W Stock/Closure Rails/Switch Point Side W orn YD 13 SW 139	APPR	12/31/14 02:00:17 PM
1953018	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING	APPR	06/05/15 04:16:31 AM

Work Order Tracking (Tr)

Bulletins: (1) Go To

Find Work Order



Select Action



List Work Order Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 1960447

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO



Classification Description: MTA - METRO

Asset: >>



Alias:

Location: CHAIN_MARK >> Metro Chain Markers



Work Location: >>



Work Type: PM



Status: APPR

Status Date: 06/15/15 08:24:59 AM

Reported By: MTACRON



Phone:

Reported Date: 06/12/15 04:19:10 AM



On Behalf Of:



Consist: >>



Asset Details

Year:

Manufacturer: >>



Model: >>

Serial #:

Type: >>

Status:

Asset Condition:

Address Information

Service Address: >>



City:

Formatted Address:

State/Province:



Street Address:



WEEKLY TRACK WALKING INSPECTION REPORTING FORM

Name R. Nelson, M. Akhin Date 6-19-15 Page 1 of 1
 (Please Print)

Inspected From W / YARD To E / YARD Yard Tr # All WO# 1960447

Item	Exception Chain Marker No.		Track No.	Rail N/S	Switch No.	Codes		Status S/Y/R	Repair Y/N	W. O.
	From	To				Comp.	Defect			
1.				N	103	F-14	D-16	Y	N	1968936
2.				N	101	F-14	D-210	Y	N	1968946
3.			12	S	123	R-01	D-40	Y	N	1968966
4.			5	S	141	T-06	D-03	Y	N	1968955
5.										
6.										
7.										
8.										
9.										
10.										
11.										
12.										
13.										
14.										
15.										
16.										
17.										
18.										
19.										
20.										

Item	COMMENTS
1.	Lock Washers missing on should Bolt + 2 nd Bolt in RH heel block
2.	Shoulder bolt loose on LH heel block
3.	Running rail wear angle 26° East end by signal 122
4.	2 Tie saver pads under T5 in curve closure rail.

Richard Nelson
 Trackwalkers Signature

[Signature]
 Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
52021	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	MONITOR	04/04/14 07:30:07 AM
951639	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	01/29/13 11:33:00 AM
914389	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	12/27/12 01:37:09 PM
1949957	Mainline / Yard Heat Inspection	CHAIN_MARKERS	INPRG	06/03/15 05:28:29 AM
1882554	YARD W RH Switch Point/Closure Side Worn SW 1 39 (26 deg)	CMWABYARD	APPR	04/11/15 02:37:22 PM
1930637	YARD E Stock Rail Standard Joint Battered SW 10 1	WABYARDSW101	APPR	05/20/15 05:10:03 AM
1937572	YARD E 3rd Anchor Clevis Pin Cotter Pin Missing S W 101 334+20	WABYARDSW101	APPR	05/26/15 03:10:17 PM
1954344	Yard 8 Pandrol Clips Missing on Frog, 4 saddles loose SW 101	WABYARDSW101	APPR	06/06/15 11:03:10 AM
1818109	YARD E Standard Joint Mismatched YD 11 SW 10 1 344+25	WABYARDSW101	APPR	02/20/15 05:07:43 PM
1818111	Yard E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	02/20/15 05:15:02 PM
1953163	YARD E RH Stock Rail Side Worn (22 Deg) SW 10 1	WABYARDSW101	WMATL	06/05/15 07:24:05 AM
1953126	YARD E Wide Gauge Ahead of Bend (Exceeds 57 ") SW 101	WABYARDSW101	WAPPR	06/05/15 07:00:11 AM
1953156	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	06/05/15 07:20:42 AM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	MONITOR	12/27/12 02:45:04 PM
34970	YARD E Heel Block #6 Bolt Missing SW 103	WABYARDSW103	APPR	05/23/15 10:31:32 AM
1776742	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	APPR	01/16/15 04:02:59 PM
1882581	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	04/11/15 02:58:57 PM
890587	YARD E Switch Point/Running Rail Side Worn (31 deg) YD 11 SW 107	WABYARDSW107	MONITOR	12/05/12 03:33:00 PM
1949966	YARD E Curved Closure Rail Side Worn (25 Deg) YD 11 SW 107	WABYARDSW107	WMATL	06/03/15 05:57:10 AM
1703988	YARD E Switch Point / Closure Rail Side Worn YD 3 SW 111	WABYARDSW111	MONITOR	11/11/14 04:37:11 PM
1454677	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	04/07/14 08:54:37 AM
1524195	YARD E Stock/Switch Point/Closure/Frog Side Worn YD 3 SW 113	WABYARDSW113	MONITOR	06/07/14 01:40:51 PM
1937610	YARD E Heel Block Bolt Missing YD 3 SW 113	WABYARDSW113	APPR	05/26/15 03:23:15 PM
1776740	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	01/16/15 03:57:01 PM
1776741	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	01/16/15 04:00:00 PM
990496	YARD E Switch Point/Closure/Running Rail Side Worn SW 123	WABYARDSW123	MONITOR	03/02/13 01:24:35 PM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	MONITOR	12/27/12 02:19:44 PM
1755162	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	12/30/14 06:39:49 AM
82563	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	04/11/15 02:46:50 PM

1954342	Yard 3rd Rail Insulator Cup Missing Sw 127B Y	WABYARDSW127B	APPR	06/06/15 10:56:32 AM
914439	d Trk 2 E YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	MONITOR	12/27/12 02:53:26 PM
1441909	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	03/28/14 12:48:56 PM
1872848	Yard W Closure Rail Tie Saver Pad Missing YD 2 S	WABYARDSW133B	APPR	04/03/15 05:49:29 AM
1666776	W 133B YARD W 3rd Rail Approach Mismatch/Burnt SW 1	WABYARDSW137	APPR	10/08/14 03:04:08 PM
1872851	37 Yard W Closure Rail Tie Saver Pad YD 3 SW 137	WABYARDSW137	APPR	04/03/15 05:52:29 AM
1703973	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	11/11/14 04:24:58 PM
1703986	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	11/11/14 04:31:27 PM
1776739	YARD W LH Curve Stock Rail Side Worn (27 deg) Y	WABYARDSW151	APPR	01/16/15 03:52:29 PM
1882557	D 11 SW 151 YARD W Curve Closure Side Worn (25 deg) YD 11	WABYARDSW151	APPR	04/11/15 02:42:56 PM
914415	SW 151 YARD W Switch Point Worn YD 11 SW 151	WABYARDSW151	MONITOR	12/27/12 02:34:20 PM
1742183	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	12/16/14 06:18:09 AM
1954341	Yard #1 Frog Bolt Loose Sw # 161 CM 363+40	WABYARDSW161	APPR	06/06/15 10:51:20 AM
1665736	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	10/07/14 03:25:07 PM
1872845	Yard W Closure Rail Tie Saver Pad Missing YD 2 S	WABYARDSW163	APPR	04/03/15 05:37:09 AM
1790136	W 163 YARD W IJ & End Post Battered/Rail Top Worn (S/	WABYARDSW165B	APPR	01/29/15 02:37:47 PM
1775340	R) SW 165 YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	01/15/15 02:40:35 PM
1930640	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	05/20/15 05:25:02 AM
1775366	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	01/15/15 02:51:32 PM
914399	YARD W Switch Point/Closure/Frog Guard Rail/Ru	WABYARDSW167A	MONITOR	12/27/12 01:49:50 PM
1731452	nnng Rail Side Worn SW 167A YARD W Closure/Stock/Switch Point/Side Worn Y	WABYARDSW167B	APPR	12/05/14 03:21:50 PM
1961027	D 2 SW 167B YARD W Self Guarded Frog Bolts Loose (4) YD 2 16	WABYARDSW167B	WAPPR	06/12/15 03:08:35 PM
1963058	7B 365+15 Yard Frog Bolts Loose Sw # 167B CM 365+15	WABYARDSW167B	APPR	06/15/15 06:45:31 AM
1934969	Yard W Heel Block Bolt Missing YD 2 SW 167B 365	WABYARDSW167B	APPR	05/23/15 10:26:31 AM
1934968	+50 Yard W Insulated Joint Bolts Loose YD 2 SW 167B	WABYARDSW167B	APPR	05/23/15 10:20:16 AM
1737754	364+40 YARD W Concrete Tie Cracked YD 15 SW 171A	WABYARDSW171A	APPR	12/11/14 04:12:49 PM
1703971	YARD W Running Rail Worn (33 deg) YD 15 SW 17	WABYARDSW171A	MONITOR	11/11/14 04:19:53 PM
1459943	1A YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	04/11/14 05:18:05 PM
1666333	YARD W 3rd Rail Mismatch YD 1 SW 171B		APPR	10/08/14 05:26:54 AM

1756483	YARD W Stock/Closure Rails/Switch Point Side W orn YD 13 SW 139	APPR	12/31/14 02:00:17 PM
1960447	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING	APPR	06/12/15 04:19:10 AM
1325359	YARD W Switch Point Side Worn YD 1 171B	MONITOR	12/17/13 03:15:52 PM

Work Order Tracking (Tr) Bulletins: (2) Go To

Find Work Order



Select Action



List Work Order Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 1968376

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: >>

Alias:

Location: CHAIN_MARK >> Metro Chain Markers

Work Location: >>

* Work Type: PM

Status: APPR

Status Date: 06/19/15 05:54:09 AM

Reported By: MTACRON >>

Phone:

Reported Date: 06/19/15 04:18:08 AM

On Behalf Of: >>

Consist: >>

Asset Details

Year:

Manufacturer: >>

Model: >>

Serial #:

Type: >>

Status:

Asset Condition:

Address Information

Service Address: >>

Formatted Address:

Street Address: >>

City:

State/Province: >>

WEEKLY TRACK WALKING INSPECTION REPORTING FORM

Name Greenwood Jefferson Date 06/25/15 Page 1 of 1
 (Please Print)

Inspected From W / YARD To E / YARD Yard Tr # All WO# 1968378

Item	Exception Chain Marker No.		Track	Rail	Switch	Codes		Status	Repair	W. O.
	From	To	No.	N/S	No.	Comp.	Defect	S/Y/R	Y/N	
1.	348		2	N/S		T01	D09	Y		1452021
2.	369+20	366+70	1	N/S		R01	D26	Y		914389
3.	344+20		11	N/S	101	T01	D09	Y		914431
4.	354		1	N/S	129A	T01	D09	Y		914439
5.			1		167A	C18	D01	Y		1930640
6.										
7.										
8.										
9.										
10.										
11.										
12.										
13.										
14.										
15.										
16.										
17.										
18.										
19.										
20.										

Item	COMMENTS
1	Two concrete ties cracked
2	out of surface
3	Three cracked ties
4	Seven ties cracked
5	cover board bracket bent

Woodrow Greenwood
 Trackwalkers Signature

[Signature]
 Supervisory Certification

YARD DEFECTS 6-21-15

Work Order	Description	Work Location	Status	Reported Date
1325359	YARD W Switch Point Side Worn YD 1 171B		MONITOR	12/17/13 03:15:52 PM
1756483	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 S W 139		FAIL	12/31/14 02:00:17 PM
1666333	YARD W 3rd Rail Mismatch YD 1 SW 171B		APPR	10/08/14 05:26:54 AM
1974118	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		WSCH	06/24/15 09:12:32 AM
1976595	Tri-Monthly Yard SWINSP Track 2,3,4		WSCH	06/26/15 04:17:10 AM
1973588	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		WSCH	06/24/15 08:28:02 AM
1968395	Tri-Monthly Yard SWINSP Track 1		COMP	06/19/15 04:18:20 AM
1968378	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	06/19/15 04:18:08 AM
1459943	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	04/11/14 05:18:05 PM
1737754	YARD W Concrete Tie Cracked YD 15 SW 171A	WABYARDSW171A	APPR	12/11/14 04:12:49 PM
1703971	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	11/11/14 04:19:53 PM
1963058	YARD W Frog Bolts Loose SW 167B 365+15	WABYARDSW167B	APPR	06/15/15 06:45:31 AM
1731452	YARD W Closure/Stock/Switch Point/Side Worn (28-	WABYARDSW167B	FAIL	12/05/14 03:21:50 PM
1934969	YARD W Heel Block Bolt Missing YD 2 SW 167B 365+50	WABYARDSW167B	APPR	05/23/15 10:26:31 AM
1934968	YARD W Insulated Joint Bolts Loose YD 2 SW 167B 364+40	WABYARDSW167B	APPR	05/23/15 10:20:16 AM
1775366	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	01/15/15 02:51:32 PM
914399	YARD W Switch Point/Closure/Frog Guard Rail/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	12/27/12 01:49:50 PM
1930640	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	05/20/15 05:25:02 AM
1790136	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	01/29/15 02:37:47 PM
1775340	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	01/15/15 02:40:35 PM
1665736	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	10/07/14 03:25:07 PM
1872845	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	04/03/15 05:37:09 AM
1742183	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	12/16/14 06:18:09 AM
1954341	YARD E #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	06/06/15 10:51:20 AM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	MONITOR	12/27/12 02:34:20 PM
1776739	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	01/16/15 03:52:29 PM
1882557	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	04/11/15 02:42:56 PM
1703986	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	11/11/14 04:31:27 PM
1968955	YARD W Ties Saver Pads Deteriorated YD 5 SW 141	WABYARDSW141	APPR	06/19/15 03:06:03 PM
1703973	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	11/11/14 04:24:58 PM
1666776	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	10/08/14 03:04:08 PM
1872851	YARD W Closure Rail Tie Saver Pad YD 3 SW 137	WABYARDSW137	APPR	04/03/15 05:52:29 AM
1872848	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	04/03/15 05:49:29 AM
1441909	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	03/28/14 12:48:56 PM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	MONITOR	12/27/12 02:53:26 PM
1882563	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	04/11/15 02:46:50 PM
1954342	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	06/06/15 10:56:32 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	MONITOR	12/27/12 02:19:44 PM
1755162	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	12/30/14 06:39:49 AM
1968966	YARD E Side Worn Rail YD 12 (Near Sig 122) (26 deg)	WABYARDSW123	OOS	06/19/15 03:15:59 PM
990496	YARD E Switch Point/Closure/Running Rail Side Worn (29 Deg) SW 123	WABYARDSW123	FAIL	03/02/13 01:24:35 PM
1776741	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	01/16/15 04:00:00 PM
1776740	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	01/16/15 03:57:01 PM
1524195	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	06/07/14 01:40:51 PM
1703988	YARD E Switch Point / Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	MONITOR	11/11/14 04:37:11 PM
1454677	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	04/07/14 08:54:37 AM
1882581	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	04/11/15 02:58:57 PM
1776742	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	FAIL	01/16/15 04:02:59 PM
890587	YARD E Switch Point/Running Rail Side Worn (31 deg) YD 11 SW 107	WABYARDSW107	FAIL	12/05/12 03:33:00 PM
1949966	YARD E Curved Closure Rail Side Worn (25 Deg) YD 11 SW 107	WABYARDSW107	WMATL	06/03/15 05:57:10 AM

YARD DEFECTS 6-21-15

1968936	YARD E Heel Block Lock Washers Missing SW 103	WABYARDSW103	APPR	06/19/15 02:49:38 PM
1953156	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	06/05/15 07:20:42 AM
1953126	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	06/05/15 07:00:11 AM
1953163	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	06/05/15 07:24:05 AM
1954344	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	06/06/15 11:03:10 AM
1968946	YARD E LH Heel Block Shoulder Bolt Loose SW 101	WABYARDSW101	APPR	06/19/15 02:55:56 PM
1818109	YARD E Standard Joint Mismatched YD 11 SW 101 344+25	WABYARDSW101	APPR	02/20/15 05:07:43 PM
1818111	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	02/20/15 05:15:02 PM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	MONITOR	12/27/12 02:45:04 PM
1930637	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	05/20/15 05:10:03 AM
1937572	YARD E 3rd Anchor Clevis Pin Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	05/26/15 03:10:17 PM
1882554	YARD W RH Switch Point/Closure Side Worn SW 139 (26 Deg)	CMWABYARD	APPR	04/11/15 02:37:22 PM
1949957	Mainline / Yard Heat Inspection	CHAIN_MARKERS	INPRG	06/03/15 05:28:29 AM
914389	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	12/27/12 01:37:09 PM
951639	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	01/29/13 11:33:00 AM
1452021	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	MONITOR	04/04/14 07:30:07 AM

Work Order Tracking (Tr)

Bulletins: (1) Go To

Find Work Order

Select Action

List Work Order Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 1974118

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

>>

Classification Description: MTA - METRO

Asset: >>

Alias:

Location: CHAIN_MARK >> Metro Chain Markers

Work Location: >>

* Work Type: PM

Status: APPR

Status Date: 06/29/15 06:08:51 AM

Reported By: WPULS >>

Phone: 410-454-8034

Reported Date: 06/24/15 09:12:32 AM

On Behalf Of: >>

Consist: >>

Asset Details

Year:

Manufacturer: >>

Model: >>

Serial #:

Type: >>

Status:

Asset Condition:

Address Information

Service Address: >>

City:

Formatted Address:

State/Province: >>

Street Address: >>

WEEKLY TRACK WALKING INSPECTION REPORTING FORM

Name Alchin, Greenwood, Nelson Date 7/4/15 Page 1 of 1
 (Please Print)

Inspected From W / YARD To E / YARD Yard Tr # All WO# 1974118

Item	Exception Chain Marker No.		Track No.	Rail N/S	Switch No.	Codes		Status S/Y/R	Repair Y/N	W. O.
	From	To				Comp.	Defect			
1.			13	S	139	S-03	D-40	R	N	1756483
2.			13	S	139	S-02	D-40	R	N	1756483
3.			13	S	139	S-01	D-40	R	N	1756483
4.										
5.										
6.										
7.										
8.										
9.										
10.										
11.										
12.										
13.										
14.										
15.										
16.										
17.										
18.										
19.										
20.										

Item	COMMENTS
1.	Curve closure rail 32° angle wear.
2.	Right hand straight stock rail 32° angle wear.
3.	Right hand curve switch point 32° angle wear.

Richard Wilson
 Trackwalkers Signature

[Signature]
 Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
1452021	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	MONITOR	04/04/14 07:30:07 AM
951639	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	01/29/13 11:33:00 AM
914389	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	12/27/12 01:37:09 PM
1949957	Mainline / Yard Heat Inspection	CHAIN_MARKERS	INPRG	06/03/15 05:28:29 AM
1882554	YARD W RH Switch Point/Closure Side Worn SW 139 (26 Deg)	CMWABYARD	APPR	04/11/15 02:37:22 PM
1953156	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	06/05/15 07:20:42 AM
1953126	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	06/05/15 07:00:11 AM
1953163	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	06/05/15 07:24:05 AM
1954344	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	06/06/15 11:03:10 AM
1968946	YARD E LH Heel Block Shoulder Bolt Loose SW 101	WABYARDSW101	APPR	06/19/15 02:55:56 PM
1818109	YARD E Standard Joint Mismatched YD 11 SW 101 344+25	WABYARDSW101	APPR	02/20/15 05:07:43 PM
1818111	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	02/20/15 05:15:02 PM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	MONITOR	12/27/12 02:45:04 PM
1930637	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	05/20/15 05:10:03 AM
1937572	YARD E 3rd Anchor Clevis Pin Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	05/26/15 03:10:17 PM
1968936	YARD E Heel Block Lock Washers Missing SW 103	WABYARDSW103	APPR	06/19/15 02:49:38 PM
1949966	YARD E Curved Closure Rail Side Worn (25 Deg) YD 11 SW 107	WABYARDSW107	WMATL	06/03/15 05:57:10 AM
1882581	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	04/11/15 02:58:57 PM
890587	YARD E Switch Point/Running Rail Side Worn (31 deg) YD 11 SW 107	WABYARDSW107	FAIL	12/05/12 03:33:00 PM
1776742	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	FAIL	01/16/15 04:02:59 PM
1703988	YARD E Switch Point / Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	MONITOR	11/11/14 04:37:11 PM
454677	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	04/07/14 08:54:37 AM
1524195	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	06/07/14 01:40:51 PM
1776740	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	01/16/15 03:57:01 PM
1776741	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	01/16/15 04:00:00 PM
990496	YARD E Switch Point/Closure/Running Rail Side Worn (29 Deg) SW 123	WABYARDSW123	FAIL	03/02/13 01:24:35 PM
1968966	YARD E Side Worn Rail YD 12 (Near Sig 122) (26 deg)	WABYARDSW123	OOS	06/19/15 03:15:59 PM
1755162	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	12/30/14 06:39:49 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	MONITOR	12/27/12 02:19:44 PM
1882563	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	04/11/15 02:46:50 PM
1954342	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	06/06/15 10:56:32 AM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	MONITOR	12/27/12 02:53:26 PM
1441909	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	03/28/14 12:48:56 PM
1872848	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	04/03/15 05:49:29 AM
1666776	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	10/08/14 03:04:08 PM
1872851	YARD W Closure Rail Tie Saver Pad YD 3 SW 137	WABYARDSW137	APPR	04/03/15 05:52:29 AM
1968955	YARD W Ties Saver Pads Deteriorated YD 5 SW 141	WABYARDSW141	APPR	06/19/15 03:06:03 PM
1703973	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	11/11/14 04:24:58 PM
1703986	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	11/11/14 04:31:27 PM
1882557	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	04/11/15 02:42:56 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	MONITOR	12/27/12 02:34:20 PM
1776739	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	01/16/15 03:52:29 PM
1954341	YARD E #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	06/06/15 10:51:20 AM
1742183	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	12/16/14 06:18:09 AM
872845	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	04/03/15 05:37:09 AM
1665736	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	10/07/14 03:25:07 PM

Wabash Yard 6-29-15

Page 2

1790136	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	01/29/15 02:37:47 PM
1775340	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	01/15/15 02:40:35 PM
914399	YARD W Switch Point/Closure/Frog Guard Rail/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	12/27/12 01:49:50 PM
1930640	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	05/20/15 05:25:02 AM
1775366	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	01/15/15 02:51:32 PM
1934969	YARD W Heel Block Bolt Missing YD 2 SW 167B 365+50	WABYARDSW167B	APPR	05/23/15 10:26:31 AM
1963058	YARD W Frog Bolts Loose SW 167B 365+15	WABYARDSW167B	APPR	06/15/15 06:45:31 AM
1934968	YARD W Insulated Joint Bolts Loose YD 2 SW 167B 364+40	WABYARDSW167B	APPR	05/23/15 10:20:16 AM
1731452	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	12/05/14 03:21:50 PM
1737754	YARD W Concrete Tie Cracked YD 15 SW 171A	WABYARDSW171A	APPR	12/11/14 04:12:49 PM
1703971	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	11/11/14 04:19:53 PM
1459943	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	04/11/14 05:18:05 PM
1666333	YARD W 3rd Rail Mismatch YD 1 SW 171B		APPR	10/08/14 05:26:54 AM
1974118	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	06/24/15 09:12:32 AM
1976595	Tri-Monthly Yard SWINSP Track 2,3,4		APPR	06/26/15 04:17:10 AM
1968395	Tri-Monthly Yard SWINSP Track 1		COMP	06/19/15 04:18:20 AM
1968378	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	06/19/15 04:18:08 AM
1756483	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 S W 139		FAIL	12/31/14 02:00:17 PM
1325359	YARD W Switch Point Side Worn YD 1 171B		MONITOR	12/17/13 03:15:52 PM

Work Order Tracking (Tr)

Bulletins (1) Go To

Find Work Order



Select Action



List Work Order Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 1983999 (YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO



Classification Description: MTA - METRO

Asset: >>



Alias:

Location: CHAIN_MARK >> Metro Chain Markers



Work Location: >>



* Work Type: PM



Status: APPR

Status Date: 07/03/15 03:14:03 PM

Reported By: MTACRON



Phone:

Reported Date: 07/01/15 04:45:18 AM



On Behalf Of:



Consist: >>



Asset Details

Year:

Manufacturer: >>



Model: >>

Serial #:

Type: >>

Status:

Asset Condition:

Address Information

Service Address: >>



City:

Formatted Address:

State/Province:



Street Address:



WEEKLY TRACK WALKING INSPECTION REPORTING FORM


Name Jefferson Greenwood Date 07/10/15 Page 1 of 1
 (Please Print)

Inspected From W / YARD To E / YARD Yard Tr # All WO# 1983999

Item	Exception Chain Marker No.		Track	Rail	Switch	Codes		Status	Repair	W. O.
	From	To	No.	N/S	No.	Comp.	Defect	S/Y/R	Y/N	
1.			2	N	103	P01	D03	Y		1998607
2.	369+20	366+70	1	N/S		R01	D26	Y		914389
3.	344+20		11	N/S	101	T01	D09	Y		914431
4.	354+80		1	N/S	129	T01	D09	Y		914439
5.			1	N/S	167A	C18	D03	Y		1930640
6.										
7.										
8.										
9.										
10.										
11.										
12.										
13.										
14.										
15.										
16.										
17.										
18.										
19.										
20.										

Item	COMMENTS
1	Curved closure rail insulated plate is broken
2	Yard track #1 out of surface
3	Three cracked ties
4	Seven cracked ties
5	Cover board bracket bent

Woodrow Greenwood
 Trackwalkers Signature


 Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
452021	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	MONITOR	04/04/14 07:30:07 AM
951639	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	01/29/13 11:33:00 AM
914389	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	12/27/12 01:37:09 PM
1949957	Mainline / Yard Heat Inspection	CHAIN_MARKERS	INPRG	06/03/15 05:28:29 AM
1882554	YARD W RH Switch Point/Closure Side Worn SW 1 39 (26 Deg)	CMWABYARD	APPR	04/11/15 02:37:22 PM
1953156	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	06/05/15 07:20:42 AM
1953126	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	06/05/15 07:00:11 AM
1953163	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	06/05/15 07:24:05 AM
1954344	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	06/06/15 11:03:10 AM
1968946	YARD E LH Heel Block Shoulder Bolt Loose SW 101	WABYARDSW101	APPR	06/19/15 02:55:56 PM
1818109	YARD E Standard Joint Mismatched YD 11 SW 101 344+25	WABYARDSW101	APPR	02/20/15 05:07:43 PM
1818111	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	02/20/15 05:15:02 PM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	MONITOR	12/27/12 02:45:04 PM
1930637	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	05/20/15 05:10:03 AM
937572	YARD E 3rd Anchor Clevis Pin Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	05/26/15 03:10:17 PM
1968936	YARD E Heel Block Lock Washers Missing SW 103	WABYARDSW103	APPR	06/19/15 02:49:38 PM
1882581	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	04/11/15 02:58:57 PM
1776742	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	FAIL	01/16/15 04:02:59 PM
890587	YARD E Switch Point/Running Rail Side Worn (31 deg) YD 11 SW 107	WABYARDSW107	FAIL	12/05/12 03:33:00 PM
1949966	YARD E Curved Closure Rail Side Worn (25 Deg) YD 11 SW 107	WABYARDSW107	WMATL	06/03/15 05:57:10 AM
1454677	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	04/07/14 08:54:37 AM
1703988	YARD E Switch Point / Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	MONITOR	11/11/14 04:37:11 PM
1524195	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	06/07/14 01:40:51 PM
1776740	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	01/16/15 03:57:01 PM
1776741	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	01/16/15 04:00:00 PM
1968966	YARD E Rail Side Worn YD 12 (Near Sig 122) (26 deg)	WABYARDSW123	OOS	06/19/15 03:15:59 PM
990496	YARD E Switch Point/Closure/Running Rail Side Worn (29 Deg) SW 123	WABYARDSW123	FAIL	03/02/13 01:24:35 PM
1755162	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	12/30/14 06:39:49 AM
14407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	MONITOR	12/27/12 02:19:44 PM

1954342	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 12	WABYARDSW127B	APPR	06/06/15 10:56:32 AM
1882563	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	04/11/15 02:46:50 PM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	MONITOR	12/27/12 02:53:26 PM
1441909	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	03/28/14 12:48:56 PM
1872848	YARD W Closure Rail Tie Saver Pad Missing YD 2 S W 133B	WABYARDSW133B	APPR	04/03/15 05:49:29 AM
1666776	YARD W 3rd Rail Approach Mismatch/Burnt SW 1 37	WABYARDSW137	APPR	10/08/14 03:04:08 PM
1872851	YARD W Closure Rail Tie Saver Pad YD 3 SW 137	WABYARDSW137	APPR	04/03/15 05:52:29 AM
1703973	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	11/11/14 04:24:58 PM
1968955	YARD W Ties Saver Pads Deteriorated YD 5 SW 141	WABYARDSW141	APPR	06/19/15 03:06:03 PM
1703986	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	11/11/14 04:31:27 PM
1882557	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	04/11/15 02:42:56 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	MONITOR	12/27/12 02:34:20 PM
1776739	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	01/16/15 03:52:29 PM
1954341	YARD E #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	06/06/15 10:51:20 AM
1742183	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	12/16/14 06:18:09 AM
1872845	YARD W Closure Rail Tie Saver Pad Missing YD 2 S W 163	WABYARDSW163	APPR	04/03/15 05:37:09 AM
1665736	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	10/07/14 03:25:07 PM
1790136	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	01/29/15 02:37:47 PM
1775340	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	01/15/15 02:40:35 PM
914399	YARD W Switch Point/Closure/Frog Guard Rail/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	12/27/12 01:49:50 PM
1930640	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	05/20/15 05:25:02 AM
1775366	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	01/15/15 02:51:32 PM
1934969	YARD W Heel Block Bolt Missing YD 2 SW 167B 36 5+50	WABYARDSW167B	APPR	05/23/15 10:26:31 AM
1963058	YARD W Frog Bolts Loose SW 167B 365+15	WABYARDSW167B	APPR	06/15/15 06:45:31 AM
1934968	YARD W Insulated Joint Bolts Loose YD 2 SW 167 B 364+40	WABYARDSW167B	APPR	05/23/15 10:20:16 AM
1731452	YARD W Closure/Stock/Switch Point/Side Worn (2 8-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	12/05/14 03:21:50 PM
1737754	YARD W Concrete Tie Cracked YD 15 SW 171A	WABYARDSW171A	APPR	12/11/14 04:12:49 PM
1703971	YARD W Running Rail Side Worn (33 deg) YD 15 S W 171A	WABYARDSW171A	MONITOR	11/11/14 04:19:53 PM

1459943	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	04/11/14 05:18:05 PM
1666333	YARD W 3rd Rail Mismatch YD 1 SW 171B		APPR	10/08/14 05:26:54 AM
1987785	Tri-Monthly Yard SWINSP Track 5,6,7,9,11,12		WSCH	07/03/15 04:20:54 AM
1983999	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	07/01/15 04:45:18 AM
1974118	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	06/24/15 09:12:32 AM
1976595	Tri-Monthly Yard SWINSP Track 2,3,4		APPR	06/26/15 04:17:10 AM
1756483	YARD W Stock/Closure Rails/Switch Point Side W orn (32 Deg) YD 13 SW 139		FAIL	12/31/14 02:00:17 PM
1325359	YARD W Switch Point Side Worn YD 1 171B		MONITOR	12/17/13 03:15:52 PM

Work Order Tracking (Tr)

Work Order Tracking (Tr)

Bulletins: (1)

Go To Reports Start Center Profile Sign Out Help

Find Work Order

Select Action



List Work Order

Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting Specifications Service Address Map

Work Order: 1992617

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAI

Attachments

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset:

Alias:

Location: CHAIN_MARK Metro Chain Markers

Work Location:

Work Type: PM

Status: INPRG

Status Date: 07/16/15 03:25:44 PM

Reported By: MTACRON

Phone:

Reported Date: 07/08/15 04:16:12 AM

On Behalf Of:

Consist:

Asset Details

Year:

Manufacturer:

Model:

Serial #:

Type:

Status:

Asset Condition:

Costs

Total Planned Cost: 0.00

Total Actual Cost: 420.64

Repair Limit Amount:

Current Asset Value:

GL Account: J05-####-04;

Accepts Charges?

Charge to Store?

Address Information

Service Address:

Formatted Address:

Street Address:

City:

State/Province:

WEEKLY TRACK INSPECTION REPORT

Name M Alchin J Chase Date 7/16/2015 Page 1 of 1

Inspected From W/Yard To E/Yard Yard Tr # All WO# 1992617

Item	Exception Chain Marker No.		Track No.	Rail N/S	Switch No.	Codes		Status S/Y/R	Repair Y/N	W. O.
	From	To				Comp.	Defect			
1.	364+80		2	S	167B	J06	D20	Y	N	2006711
2.	363		13	N	139	J06	D20	Y	N	2006713
3.	360+50		6	N/S	143	P03	D21	Y	N	2006715
4.			7	N/S	145	J06	D20	Y	N	2005909
5.										
6.										
7.										
8.										
9.										
10.										
11.										
12.										
13.										
14.										
15.										
16.										
17.										
18.										
19.										
20.										

Item	COMMENTS
1	Two bolts loose in standard joint
2	One bolt loose in standard joint
3	Two tie saver pads loose
4	Ten bolts loose in two standard joints

Michael A Alchin

Trackwalkers Signature



Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
52021	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	MONITOR	04/04/14 07:30:07 AM
951639	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	01/29/13 11:33:00 AM
914389	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	12/27/12 01:37:09 PM
1949957	Mainline / Yard Heat Inspection	CHAIN_MARKERS	INPRG	06/03/15 05:28:29 AM
1882554	YARD W RH Switch Point/Closure Side Worn SW 139 (26 Deg)	CMWABYARD	APPR	04/11/15 02:37:22 PM
1953156	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	06/05/15 07:20:42 AM
1953126	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	06/05/15 07:00:11 AM
1953163	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	06/05/15 07:24:05 AM
1954344	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	06/06/15 11:03:10 AM
1968946	YARD E LH Heel Block Shoulder Bolt Loose SW 101	WABYARDSW101	APPR	06/19/15 02:55:56 PM
1998510	Yard E Track Bolt Missing in St. Jt. Sw 101	WABYARDSW101	COMP	07/10/15 04:08:23 PM
1818109	YARD E Standard Joint Mismatched YD 11 SW 101 344+25	WABYARDSW101	APPR	02/20/15 05:07:43 PM
1818111	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	02/20/15 05:15:02 PM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	MONITOR	12/27/12 02:45:04 PM
1930637	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	05/20/15 05:10:03 AM
1937572	YARD E 3rd Anchor Clevis Pin Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	05/26/15 03:10:17 PM
1968936	YARD E Heel Block Lock Washers Missing SW 103	WABYARDSW103	APPR	06/19/15 02:49:38 PM
1998607	YARD Insulated Plate Broken Under IJ / CL RL 103	WABYARDSW103	APPR	07/10/15 04:38:41 PM
1882581	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	04/11/15 02:58:57 PM
1949966	YARD E Curved Closure Rail Side Worn (25 Deg) YD 11 SW 107	WABYARDSW107	WMATL	06/03/15 05:57:10 AM
890587	YARD E Switch Point/Running Rail Side Worn (31 deg) YD 11 SW 107	WABYARDSW107	FAIL	12/05/12 03:33:00 PM
1776742	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	FAIL	01/16/15 04:02:59 PM
1454677	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	04/07/14 08:54:37 AM
1703988	YARD E Switch Point / Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	MONITOR	11/11/14 04:37:11 PM
4195	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 Sw113	WABYARDSW113	FAIL	06/07/14 01:40:51 PM
1776740	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	01/16/15 03:57:01 PM
1776741	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	01/16/15 04:00:00 PM
990496	YARD E Switch Point/Closure/Running Rail Side Worn (29 Deg) SW 123	WABYARDSW123	FAIL	03/02/13 01:24:35 PM
1968966	YARD E Rail Side Worn YD 12 (Near Sig 122) (26 deg)	WABYARDSW123	OOS	06/19/15 03:15:59 PM
1755162	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	12/30/14 06:39:49 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	MONITOR	12/27/12 02:19:44 PM
1882563	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	04/11/15 02:46:50 PM
1954342	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	06/06/15 10:56:32 AM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	MONITOR	12/27/12 02:53:26 PM
1441909	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	03/28/14 12:48:56 PM
1872848	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	04/03/15 05:49:29 AM
1872851	YARD W Closure Rail Tie Saver Pad YD 3 SW 137	WABYARDSW137	APPR	04/03/15 05:52:29 AM
1666776	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	10/08/14 03:04:08 PM
1968955	YARD W Ties Saver Pads Deteriorated YD 5 SW 141	WABYARDSW141	APPR	06/19/15 03:06:03 PM
1703973	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	11/11/14 04:24:58 PM
1703986	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	11/11/14 04:31:27 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	MONITOR	12/27/12 02:34:20 PM
1882557	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	04/11/15 02:42:56 PM
1776739	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	01/16/15 03:52:29 PM
1954341	YARD E #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	06/06/15 10:51:20 AM
1742183	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	12/16/14 06:18:09 AM
1872845	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	04/03/15 05:37:09 AM
1665736	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	10/07/14 03:25:07 PM
0136	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	01/29/15 02:37:47 PM
1775340	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	01/15/15 02:40:35 PM

1930640	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	05/20/15 05:25:02 AM
914399	YARD W Switch Point/Closure/Frog Guard Rail/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	12/27/12 01:49:50 PM
1775366	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	01/15/15 02:51:32 PM
1934969	YARD W Heel Block Bolt Missing YD 2 SW 167B 365+50	WABYARDSW167B	APPR	05/23/15 10:26:31 AM
1963058	YARD W Frog Bolts Loose SW 167B 365+15	WABYARDSW167B	APPR	06/15/15 06:45:31 AM
1934968	YARD W Insulated Joint Bolts Loose YD 2 SW 167B 364+40	WABYARDSW167B	APPR	05/23/15 10:20:16 AM
1731452	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	12/05/14 03:21:50 PM
1737754	YARD W Concrete Tie Cracked YD 15 SW 171A	WABYARDSW171A	APPR	12/11/14 04:12:49 PM
1703971	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	11/11/14 04:19:53 PM
1459943	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	04/11/14 05:18:05 PM
1666333	YARD W 3rd Rail Mismatch YD 1 SW 171B		APPR	10/08/14 05:26:54 AM
1997930	Tri-Monthly Yard SWINSP Track 13,14,15,MM,OM,PO,OC		APPR	07/10/15 04:16:51 AM
1992617	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	07/08/15 04:16:12 AM
1987785	Tri-Monthly Yard SWINSP Track 5,6,7,9,11,12		COMP	07/03/15 04:20:54 AM
1983999	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	07/01/15 04:45:18 AM
1756483	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 Sw139		FAIL	12/31/14 02:00:17 PM
1325359	YARD W Switch Point Side Worn YD 1 171B		MONITOR	12/17/13 03:15:52 PM

Work Order Tracking (Tr)

Bulletins: (1) [Go To](#)

Find Work Order

Select Action

List Work Order Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2002979

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: >>

Alias:

Location: CHAIN_MARK >> Metro Chain Markers

Work Location: >>

* Work Type: PM

Status: APPR

Status Date: 07/17/15 08:10:54 AM

Reported By: MTACRON

Phone:

Reported Date: 07/15/15 04:19:18 AM

On Behalf Of:

Consist: >>

Asset Details

Year:

Manufacturer: >>

Model: >>

Serial #: >>

Type: >>

Status:

Asset Condition:

Address Information

Service Address: >>

City:

Formatted Address:

State/Province:

Street Address:

WEEKLY TRACK WALKING INSPECTION REPORTING FORM

Name JEFFERSON, CHAS Date 7-24-15 Page 1 of 1
 (Please Print)

Inspected From W / YARD To E / YARD Yard Tr # All WO# 2002979

Item	Exception Chain Marker No.		Track No.	Rail N/S	Switch No.	Codes		Status S/Y/R	Repair Y/N	W. O.
	From	To				Comp.	Defect			
1.	344-50		7		101	102	D01	Y	N	1930637
2.	344+20		7		101	T02	D09	Y	N	914431
3.	344+00		7		101	104	D20	Y	N	1953156
4.	334+20		7		101	F08	D21	Y	N	1937572
5.										
6.										
7.										
8.										
9.										
10.										
11.										
12.										
13.										
14.										
15.										
16.										
17.										
18.										
19.										
20.										

Item	COMMENTS
1	BATTERED JOINT
2	CONCRETE TIE
3	BASKET ROD
4	3RD RAIL ANCHOR COTTER PIN MISSING


 Trackwalkers Signature


 Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
52021	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	MONITOR	04/04/14 07:30:07 AM
951639	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	01/29/13 11:33:00 AM
914389	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	12/27/12 01:37:09 PM
1949957	Mainline / Yard Heat Inspection	CHAIN_MARKERS	INPRG	06/03/15 05:28:29 AM
1882554	YARD W RH Switch Point/Closure Side Worn SW 139 (26 Deg)	CMWABYARD	APPR	04/11/15 02:37:22 PM
2002615	YARD Welding Switch 171B	METROMOW	INPRG	07/15/15 04:11:32 AM
2002513	YARD Welding Switch RP 21	METROMOW	INPRG	07/15/15 04:10:04 AM
2002496	YARD Welding Switch 171A	METROMOW	INPRG	07/15/15 04:08:19 AM
1930637	YARD E Stock Rail Standard Joint Battered SW 101 ✓	WABYARDSW101	APPR	05/20/15 05:10:03 AM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20 ✓	WABYARDSW101	MONITOR	12/27/12 02:45:04 PM
1953156	YARD E #1 Rod Nut Loose SW 101 ✓	WABYARDSW101	APPR	06/05/15 07:20:42 AM
1818109	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	02/20/15 05:07:43 PM
1818111	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	02/20/15 05:15:02 PM
1954344	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101 ✓	WABYARDSW101	APPR	06/06/15 11:03:10 AM
1953126	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	06/05/15 07:00:11 AM
1953163	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	06/05/15 07:24:05 AM
1937572	YARD E 3rd Anchor Clevis Pin Cotter Pin Missing SW 101 334+20 ✓	WABYARDSW101	APPR	05/26/15 03:10:17 PM
1998607	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103 ★ DONE	WABYARDSW103	APPR	07/10/15 04:38:41 PM
890587	YARD E Switch Point/Running Rail Side Worn (31 deg) YD 11 SW 107 ✓	WABYARDSW107	FAIL	12/05/12 03:33:00 PM
1949966	YARD E Curved Closure Rail Side Worn (25 Deg) YD 11 SW 107 ✓	WABYARDSW107	WMATL	06/03/15 05:57:10 AM
1882581	YARD E Concrete Tie Deteriorated YD 11 SW 107 ✓	WABYARDSW107	APPR	04/11/15 02:58:57 PM
1776742	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107 ✓	WABYARDSW107	FAIL	01/16/15 04:02:59 PM
1703988	YARD E Switch Point / Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	MONITOR	11/11/14 04:37:11 PM
54677	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	04/07/14 08:54:37 AM
524195	YARD E Stock/Sw Pt/Closure/Frog Side Worn (29 Deg) YD 3 SW 113 ✓	WABYARDSW113	FAIL	06/07/14 01:40:51 PM
1776740	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117 ✓	WABYARDSW117	APPR	01/16/15 03:57:01 PM
1776741	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	01/16/15 04:00:00 PM
1968966	YARD E Rail Side Worn YD 12 (Near Sig 122) (26 deg) ✓	WABYARDSW123	OOS	06/19/15 03:15:59 PM
990496	YARD E Sw Pt/Closure/Running Rail Side Worn (29 Deg) SW 123 ✓	WABYARDSW123	FAIL	03/02/13 01:24:35 PM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	MONITOR	12/27/12 02:19:44 PM
1755162	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	12/30/14 06:39:49 AM
1882563	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	04/11/15 02:46:50 PM
1954342	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	06/06/15 10:56:32 AM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	MONITOR	12/27/12 02:53:26 PM
1441909	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	03/28/14 12:48:56 PM
1872848	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	04/03/15 05:49:29 AM
1666776	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	10/08/14 03:04:08 PM
1872851	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	04/03/15 05:52:29 AM
2006713	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/16/15 06:11:36 PM
1703973	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	11/11/14 04:24:58 PM
2006715	YARD W Tie Saver Pads Loose (2) SW 143 360+50	WABYARDSW143	APPR	07/16/15 06:14:29 PM
1703986	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	11/11/14 04:31:27 PM
1882557	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	04/11/15 02:42:56 PM
1776739	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	01/16/15 03:52:29 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	MONITOR	12/27/12 02:34:20 PM
1954341	YARD E #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	06/06/15 10:51:20 AM
742183	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	12/16/14 06:18:09 AM
65736	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	10/07/14 03:25:07 PM

1872845	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	04/03/15 05:37:09 AM
1790136	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	01/29/15 02:37:47 PM
1775340	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	01/15/15 02:40:35 PM
1775366	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	01/15/15 02:51:32 PM
1930640	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	05/20/15 05:25:02 AM
914399	YARD W Switch Point/Closure/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	12/27/12 01:49:50 PM
2005012	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/16/15 03:27:40 PM
1731452	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	12/05/14 03:21:50 PM
2006711	YARD W Standard Joint Bolts Loose (2) (S/R) SW 167B 364+80	WABYARDSW167B	APPR	07/16/15 06:07:02 PM
1934968	YARD W Insulated Joint Bolts Loose YD 2 SW 167B 364+40	WABYARDSW167B	APPR	05/23/15 10:20:16 AM
1963058	YARD W Frog Bolts Loose SW 167B 365+15	WABYARDSW167B	APPR	06/15/15 06:45:31 AM
1934969	YARD W #2 Heel Block Bolt Loose YD 2 SW 167B 365+50	WABYARDSW167B	APPR	05/23/15 10:26:31 AM
1737754	YARD W Concrete Tie Cracked YD 15 SW 171A	WABYARDSW171A	APPR	12/11/14 04:12:49 PM
1703971	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	11/11/14 04:19:53 PM
1459943	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	04/11/14 05:18:05 PM
1666333	YARD W 3rd Rail Mismatch YD 1 SW 171B		APPR	10/08/14 05:26:54 AM
1756483	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139		FAIL	12/31/14 02:00:17 PM
1992617	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	07/08/15 04:16:12 AM
1325359	YARD W Switch Point Side Worn YD 1 171B		MONITOR	12/17/13 03:15:52 PM
2002979	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	07/15/15 04:19:18 AM

Work Order Tracking (Tr)

Bulletins: (1) [Go To](#)

Find Work Order



Select Action



List **Work Order** Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2014892

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO



Classification Description: MTA - METRO

Asset: >>



Alias:

Location: CHAIN_MARK >> Metro Chain Markers



Work Location: >>



* Work Type: PM

Status: APPR

Status Date: 07/24/15 04:53:38 PM

Reported By: MTACRON



Phone:

Reported Date: 07/22/15 04:19:51 AM



On Behalf Of:



Consist: >>



Asset Details

Year:

Manufacturer: >>



Model: >>

Serial #:

Type: >>

Status:

Asset Condition:

Address Information

Service Address: >>




City:

Formatted Address:

State/Province:

Street Address:



Name M. Alchin, J. Chase Date 8-01-15 Page 1 of 1
(Please Print)

[illegible][illegible]

Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
52021	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	MONITOR	04/04/14 07:30:07 AM
951639	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	01/29/13 11:33:00 AM
914389	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	12/27/12 01:37:09 PM
1949957	Mainline / Yard Heat Inspection	CHAIN_MARKERS	INPRG	06/03/15 05:28:29 AM
1882554	YARD W RH Switch Point/Closure Side Worn SW 139 (26 Deg)	CMWABYARD	APPR	04/11/15 02:37:22 PM
2002615	YARD Welding Switch 171B	METROMOW	INPRG	07/15/15 04:11:32 AM
2002513	YARD Welding Switch RP 21	METROMOW	INPRG	07/15/15 04:10:04 AM
2002496	YARD Welding Switch 171A	METROMOW	INPRG	07/15/15 04:08:19 AM
1930637	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	05/20/15 05:10:03 AM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	MONITOR	12/27/12 02:45:04 PM
1953156	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	06/05/15 07:20:42 AM
1818109	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	02/20/15 05:07:43 PM
1818111	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	02/20/15 05:15:02 PM
1954344	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) S W 101	WABYARDSW101	APPR	06/06/15 11:03:10 AM
1953126	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	06/05/15 07:00:11 AM
1953163	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	06/05/15 07:24:05 AM
1937572	YARD E 3rd Anchor Clevis Pin Cotter Pin Missing SW 101 33 4+20	WABYARDSW101	APPR	05/26/15 03:10:17 PM
1998607	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103	WABYARDSW103	APPR	07/10/15 04:38:41 PM
0587	YARD E Switch Point/Running Rail Side Worn (31 deg) YD 1 1 SW 107	WABYARDSW107	FAIL	12/05/12 03:33:00 PM
1949966	YARD E Curved Closure Rail Side Worn (25 Deg) YD 11,SW 107	WABYARDSW107	WMATL	06/03/15 05:57:10 AM
1882581	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	04/11/15 02:58:57 PM
1776742	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	FAIL	01/16/15 04:02:59 PM
1703988	YARD E Switch Point / Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	MONITOR	11/11/14 04:37:11 PM
1454677	YARD E Switch Poiint Chipped YD 3 SW 111	WABYARDSW111	MONITOR	04/07/14 08:54:37 AM
1524195	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	06/07/14 01:40:51 PM
1776740	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	01/16/15 03:57:01 PM
1776741	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	01/16/15 04:00:00 PM
1968966	YARD E Rail Side Worn YD 12 (Near Sig 122) (26 deg)	WABYARDSW123	OOS	06/19/15 03:15:59 PM
990496	YARD E Switch Poiint/Closure/Running Rail Side Worn (29 Deg) SW 123	WABYARDSW123	FAIL	03/02/13 01:24:35 PM
914407	YARD E Switch Poiint/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	MONITOR	12/27/12 02:19:44 PM
1755162	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	12/30/14 06:39:49 AM
1882563	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	04/11/15 02:46:50 PM
1954342	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	06/06/15 10:56:32 AM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	MONITOR	12/27/12 02:53:26 PM
1441909	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	03/28/14 12:48:56 PM
1872848	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	04/03/15 05:49:29 AM
1666776	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	10/08/14 03:04:08 PM

1872851	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	04/03/15 05:52:29 AM
2006713	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/16/15 06:11:36 PM
1703973	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	11/11/14 04:24:58 PM
2006715	YARD W Tie Saver Pads Loose (2) SW 143 360+50	WABYARDSW143	APPR	07/16/15 06:14:29 PM
1703986	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	11/11/14 04:31:27 PM
1882557	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	04/11/15 02:42:56 PM
1776739	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	01/16/15 03:52:29 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	MONITOR	12/27/12 02:34:20 PM
1954341	YARD E #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	06/06/15 10:51:20 AM
1742183	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	12/16/14 06:18:09 AM
1665736	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	10/07/14 03:25:07 PM
1872845	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	04/03/15 05:37:09 AM
1790136	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	01/29/15 02:37:47 PM
1775340	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	01/15/15 02:40:35 PM
1775366	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	01/15/15 02:51:32 PM
1930640	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	05/20/15 05:25:02 AM
914399	YARD W Switch Point/Closure/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	12/27/12 01:49:50 PM
2005012	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/16/15 03:27:40 PM
1731452	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	12/05/14 03:21:50 PM
2006711	YARD W Standard Joint Bolts Loose (2) (S/R) SW 167B 364+80	WABYARDSW167B	APPR	07/16/15 06:07:02 PM
1934968	YARD W Insulated Joint Bolts Loose YD 2 SW 167B 364+40	WABYARDSW167B	APPR	05/23/15 10:20:16 AM
1963058	YARD W Frog Bolts Loose SW 167B 365+15	WABYARDSW167B	APPR	06/15/15 06:45:31 AM
1934969	YARD W #2 Heel Block Bolt Loose YD 2 SW 167B 365+ 50	WABYARDSW167B	APPR	05/23/15 10:26:31 AM
1737754	YARD W Concrete Tie Cracked YD 15 SW 171A	WABYARDSW171A	APPR	12/11/14 04:12:49 PM
1703971	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	11/11/14 04:19:53 PM
1459943	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	04/11/14 05:18:05 PM
1666333	YARD W 3rd Rail Mismatch YD 1 SW 171B		APPR	10/08/14 05:26:54 AM
1756488	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139		FAIL	12/31/14 03:00:17 PM
1992617	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	07/08/15 04:16:12 AM
1325359	YARD W Switch Point Side Worn YD 1 171B		MONITOR	12/17/13 03:15:52 PM
2002979	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	07/15/15 04:19:18 AM

Work Order Tracking (Tr)

Bulletins: (1) Go To

Find Work Order



Select Action



List Work Order Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2022901

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO



Classification Description: MTA - METRO

Asset: >>



Alias:

Location: CHAIN_MARK >> Metro Chain Markers



Work Location: >>



* Work Type: PM

Status: APPR

Status Date: 08/04/15 06:24:21 AM

Reported By: MTACRON



Phone:

Reported Date: 07/29/15 04:19:47 AM



On Behalf Of:



Consist: >>



Asset Details

Year:

Manufacturer: >>



Model: >>

Serial #: >>

Type: >>

Status:

Asset Condition:

Address Information

Service Address: >>



City:

Formatted Address:

State/Province:



Street Address:




WEEKLY TRACK WALKING INSPECTION REPORTING FORM

Name CHASE JEFFERSON Date 8-7-15 Page 1 of 1
 (Please Print)

Inspected From W / YARD To E / YARD Yard Tr # All WO# 2022901

Item	Exception Chain Marker No.		Track	Rail	Switch	Codes		Status	Repair	W. O.
	From	To	No.	N/S	No.	Comp.	Defect	S/Y/R	Y/N	
1.	363 + 40		5		161	S 11	D20	Y	N	*2013936
2.	362 + 80		5		161	J02	D20	Y	N	*2038837
3.	365 + 50		2		167-B	S09	D20	Y	N	*2014120
4.	365 + 15		2		167-B	S 11	D20	Y	N	*2013916
5.	366 + 30		1		167-A	S09	D20	Y	N	*2038844
6.										
7.										
8.										
9.										
10.										
11.										
12.										
13.										
14.										
15.										
16.										
17.										
18.										
19.										
20.										

Item	COMMENTS
1	Switch 161 Frog Bolt Loose
2	Switch 161 Joint 1 Bolt Loose
3	HEEL Block Bolt Loose Switch # 167 B
4	3 Bolt Loose "Frog" Switch 167-B
5	Switch # 167-A HEEL Block Bolt Loose


 Trackwalkers Signature


 Supervisory Certification



Work Order Tracking (Tr)

Bulletins: (2) Go Tr

Find Work Order



Select Action



List Work Order Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2032697

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: »

Alias:

Location: CHAIN_MARK » Metro Chain Markers

Work Location: »

Work Type: PM

Status: APPR

Status Date: 08/08/15 04:06:18 PM

Reported By: MTACRON »

Phone:

Reported Date: 08/05/15 04:12:58 AM

On Behalf Of: »

Consist: »

Asset Details

Year:

Manufacturer: »

Model: »

Serial #:

Type: »

Status:

Asset Condition:

Address Information

Service Address: »

City:

Formatted Address:

State/Province: »

Street Address:

WEEKLY TRACK WALKING INSPECTION REPORTING FORM

Name R. Nelson, M. Alchin Date 8/12/15 Page 1 of 1
 (Please Print)

Inspected From W / YARD To E / YARD Yard Tr # All WO# 2032697

Item	Exception Chain Marker No.		Track	Rail	Switch	Codes		Status	Repair	W. O.
	From	To	No.	N/S	No.	Comp.	Defect	S/Y/R	Y/N	
1.	373+00	374+30	1	S		R-01	D-40	R	N	2044184
2.	344+25	343+00	5	S	1165	R-01	D-41	Y	N	2044188
3.	348+35		1		127A	S-11	D-01	Y	N	2044232
4.										
5.										
6.										
7.										
8.										
9.										
10.										
11.										
12.										
13.										
14.										
15.										
16.										
17.										
18.										
19.										
20.										

Item	COMMENTS
1.	Yard head side worn rail
2.	South running rail flattened out
3.	Frog point needs grinding

R. Nelson Trackwalkers Signature [Signature] Supervisory Certification